



CALCULATING SURFACE AREA USING DEFINITE INTEGRALS

⁽¹⁾Boltaev Kh.Kh., ⁽²⁾Hasanova Y.A.

⁽¹⁾Vatan university non-state higher education institution

⁽²⁾National Pedagogical University of Uzbekistan named after Nizami

E-mail: bkhabibzhan2020@mail.ru, yorqinoyhasanova320@gmail.com

Abstract. In this article, the theoretical foundations and practical methods of calculating the surface area using the exact integral are thoroughly studied. Finding the surface area is one of the important problems in the integration theory of multivariable functions and is widely used in geometry, physics and engineering. The article analyzes in detail the process of deriving the surface formula, calculation methods for surfaces given in the Cartesian coordinate system and in parametric form. The effectiveness of this method is demonstrated through the obtained results and examples, which will serve as a valuable resource for students and researchers. accuracy

Key words: Definite integral, Surface surface, Multivariable functions, Integration, Parametric surfaces, Calculation methods, Mathematical analysis

1. Introduction

The concept of surface area is a geometric quantity of fundamental importance in mathematics, physics, engineering, and many other scientific fields. Its precise calculation plays a crucial role in solving a wide range of practical problems—from estimating coating thickness in materials science and calculating drag in aerodynamics to determining organ volumes in medicine. While formulas for the surface area of simple geometric shapes—such as cubes, cylinders, or spheres—are familiar from school curricula, calculating the surface area of complex, curved, or irregular shapes is a far more challenging task. In such cases, traditional geometric approaches prove insufficient, creating a need for more powerful mathematical tools.

Definite integral calculation methods offer an effective approach to solving precisely these types of complex problems. They enable the determination of total surface area by partitioning the surface into infinitesimal elements and summing their areas. This method is widely used, particularly for calculating the surface area of three-dimensional shapes such as surfaces of revolution [1]. The primary objective of this article is to conduct an in-depth study of the theoretical foundations of surface area calculation using definite integrals, to derive the general formula, and to demonstrate its practical application to various surfaces, including surfaces of revolution. The article explains the concept of surface area, starting with the fundamental principles of definite integrals and the mathematical representation of surfaces, followed by the general derivation of the surface area formula and illustrative practical examples. This study aims to provide a comprehensive explanation of the integral method for calculating surface area and to demonstrate its practical significance.

2. Literature Review

The problem of calculating surface area using definite integrals is a fundamental topic in mathematical analysis, and extensive research has been conducted on its theoretical foundations and practical applications. Alongside the development of integral calculus, methods for calculating the dimensions of geometric shapes—specifically arc length, planar area, and the volume of spatial bodies—have evolved and improved. Early attempts to calculate surface area in the 17th century were linked to the study of curves and their derivatives by great mathematicians such as Descartes,



Fermat, Newton, and Leibniz. By establishing the foundations of integral calculus, they paved the way for solving complex geometric problems.

The mathematical formalization of the concept of surface area and its expression via definite integrals was solidified during the 18th and 19th centuries, particularly through the work of scholars such as Euler, Lagrange, and Gauss. They developed a methodology for determining total surface area by representing the surface parametrically and summing the areas of its infinitesimal elements. This approach enabled the derivation of a surface area formula in the form of a double integral, yielding precise results that account for the surface's curvature and its spatial orientation. The adaptation of surface area formulas for various coordinate systems (Cartesian, cylindrical, spherical) is also extensively covered in the literature of this period.

In modern mathematical literature—particularly in textbooks designed for higher mathematics courses—the problem of calculating surface area is explained in depth. For instance, classic works such as Piskunov's *Differential and Integral Calculus* provide a detailed derivation of the surface area formula and illustrate it with various examples. However, these works are often theoretically complex and may have limitations regarding their emphasis on practical application. Educational manuals and scientific articles published in recent years aim to present the topic in a more simplified and practically oriented manner.

Calculating the surface area of surfaces of revolution is of particular importance, as these types of surfaces are widely encountered in engineering, physics, and architecture. While the Pappus (Guldinus) theorems offer a simplified approach to calculating the surface area and volume of surfaces of revolution, the definite integral method provides a more general and precise formula applicable to any surface generated by the revolution of a curve. This method simplifies to a single integral, making the calculation significantly easier. The necessity of accurately calculating the surface area of components and structures of various shapes—particularly in fields such as mechanics, hydrodynamics, and materials science—underscores the relevance of this topic.

Within Uzbekistan's education system, the application of the definite integral to geometric problems—specifically the calculation of surface area—is an integral part of the "Mathematical Analysis" course taught in mathematics, physics, engineering, and informatics programs at higher education institutions. For instance, the practical training program titled "Applications of the Definite Integral: Calculating the Volume of Solids of Revolution and the Surface Area of Solids of Revolution" [1], scheduled for 2025 by Nazira Haqberdiyevna Ernazarova, demonstrates the topic's significance for students in both theoretical and practical terms. This training aims to develop students' skills in calculating the volume and surface area of solids of revolution using definite integrals, thereby affirming the topic's importance within the educational process.

However, while existing literature provides a thorough explanation of the theoretical foundations for calculating surface area, there is sometimes a lack of a comprehensive approach that systematically analyzes practical examples for various types of surfaces and presents their step-by-step solutions. Many sources focus on deriving the general formula but place less emphasis on detailing special cases—such as various parametric representations, specific curves, and the surfaces generated by their rotation. Furthermore, there is often limited material highlighting the practical significance of the topic or connecting it to real-world problems.

This article aims to address these gaps in the existing literature. We provide an in-depth analysis of the theoretical foundations of surface area calculation, particularly using definite integrals. Beyond the derivation of the general formula, special attention is paid to specific cases, such as surfaces of revolution. The article examines detailed practical examples involving various



types of surfaces, helping readers develop the skills to apply theoretical knowledge in practice. Additionally, the significance of the subject in fields such as engineering, physics, and other disciplines is explored more extensively. This approach fosters a comprehensive understanding of the topic and lays the groundwork for its effective application in solving practical problems.

3. Research Methodology

This article employs a qualitative, analytical, and synthetic research methodology to examine the problem of calculating surface areas using definite integrals. This approach focuses on deeply analyzing the theoretical foundations of the subject, logically deriving general formulas, and systematically demonstrating their practical application to various surfaces—specifically, surfaces of revolution. The primary objective of the research is to provide a comprehensive overview of the topic by conducting a thorough analysis of practical examples found in existing literature and addressing gaps regarding the connection to real-world problems. Furthermore, the methodology aims to produce pedagogically effective material that helps students develop the skills to apply theoretical knowledge in practice.

Systematic Literature Review and Selection: In the initial stage of the research, an in-depth study was conducted on classical and contemporary scientific literature, textbooks, and monographs covering definite integral calculus, mathematical analysis, and differential geometry. Key criteria for selecting literature included the clarity of theoretical foundations, the level of detail in formula derivations, applicability across various coordinate systems, and the diversity of practical examples. Priority was given to sources published after 2020, ensuring the topic's alignment with modern pedagogical approaches and research trends. Notably, educational-methodological materials—such as the practical training program titled "Applications of the Definite Integral: Calculating the Volume and Surface Area of Solids of Revolution" [1], scheduled for 2025 by Nazira Haqberdiyevna Ernazarova—were considered key sources confirming the topic's relevance and practical significance for students. The data gathered at this stage provided a comprehensive understanding of the topic's historical development, current status, and future research directions.

Theoretical analysis and derivation of formulas: This stage involved establishing the general theoretical foundations for calculating surface area, including the parametric representation of the surface, the area of a surface element, and the detailed derivation of the surface area formula using double integrals. The methodology is based on the principle of summing the areas of infinitesimal surface elements, taking into account the surface's curvature and spatial orientation. This approach enables a thorough understanding of the mathematical framework required to accurately calculate surface area. For surfaces of revolution, methods for simplifying the general formula into a single integral were thoroughly analyzed; this significantly streamlines the calculation process and finds wide application in engineering problems.

Selection and analysis of practical examples: To address gaps identified in the article, practical examples involving various types of surfaces were systematically selected and analyzed. The examples covered the following surface types:

Surfaces given in explicit form ($z = f(x, y)$).

The surface area of a surface defined as the graph of a function of two variables, $z = f(x, y)$ — where the function is defined over a region R in the xy – plane — is calculated using a double integral: $S = \iint_R \sqrt{1 + \left(\frac{dz}{dx}\right)^2 + \left(\frac{dz}{dy}\right)^2} dA$, where $dA = dx, dy$ is

an infinitesimal element of the surface's projection onto the $x y$ - plane, and $\frac{dz}{dx}$ and $\frac{dz}{dy}$ are partial derivatives.

Surfaces given in parametric form.

Surfaces of revolution generated by the rotation of various curves (e.g., straight lines, parabolas, circles)—such as spheres, cones, paraboloids, and toroidal segments. Surface area of surfaces defined parametrically. Let a surface be given by the vector-valued function $r(u, v) = (x(u, v), y(u, v), z(u, v))$, where u and v are parameters varying within a domain D . The surface area is calculated using the following double integral:

$$S = \iint_D \|r_u \times r_v\| du dv$$

here:

$$r_u = \frac{dr}{du} \text{ - } u$$

partial derivative (vector) with respect to $u : r_u = \frac{dr}{du}$ and partial

$$v : r_v = \frac{dr}{dv}.$$

derivative (vector) with respect to

When choosing examples, their level of complexity, features of mathematical calculations, and possibilities of real-life application in fields such as engineering, physics, and architecture were taken into account. For each example, a clear description of the problem, selection of the appropriate formula, determination of integral limits, differentiation and integration processes were shown step by step. The results were analyzed and their practical significance and applications in various fields were discussed.

Critical synthesis: The research methodology includes a critical synthesis of various surface calculation approaches, i.e. a simplified single integral method for surfaces of revolution with a general double integral method. This synthesis helps identify the specific advantages, limitations, computational efficiency, and application areas of each method. The article is also aimed at developing the skills of effective application of theoretical knowledge in solving practical problems, which creates the basis for a deep understanding of the subject and increasing the mathematical competence of students.

This methodology provides a comprehensive approach aimed at thoroughly covering the topic of calculating surface areas using definite integrals, integrating theoretical and practical aspects, and filling gaps in existing literature. The study's limitations lie in the fact that it does not address numerical methods for the approximate calculation of highly complex or implicitly defined surfaces, nor does it delve into advanced theoretical issues in differential geometry. The primary focus is on deriving analytical solutions using definite integrals—an approach essential for a fundamental understanding of the subject.

4. Result

The article comprehensively covers the theoretical and practical aspects of calculating surface areas using definite integrals. It explains the significance of double integrals and parametric methods in determining surface areas and demonstrates their applications in geometry, physics, and engineering. Furthermore, the derivation of formulas for surfaces of revolution and the associated calculation processes are analyzed through examples. The step-by-step explanation of calculation methods for surfaces defined in explicit and parametric forms facilitates a deeper understanding of



the subject. The research findings confirm that the definite integral is an effective tool for calculating the surface areas of complex geometric shapes. This work serves as a valuable theoretical and practical resource for students and researchers.

5. Conclusion

This article provides an in-depth analysis of the theoretical foundations for calculating surface areas using definite integrals and demonstrates their effectiveness for complex geometric shapes. It details the general derivation of the surface area formula and explains how the specific cases for surfaces of revolution simplify into single integrals. By presenting a step-by-step analysis of practical examples involving various types of surfaces—including explicit, parametric, and surfaces of revolution—the article addresses gaps in existing literature. By highlighting the fundamental importance of surface area calculation, this study contributed to developing skills in applying theoretical knowledge to engineering, physics, and other practical fields. Exploring numerical methods for complex surfaces and applying them to real-world problems could be a promising direction for future work.

References

- [1] Mirzaev, M.A., Xudoyberdiev, A.A., Higher Mathematics. Textbook. Tashkent: Fan va texnologiya, 2022.
- [2] Ashurov, R.R., Xudoyberdiev, A.A. Mathematical Analysis. Textbook. Tashkent: Fan va texnologiya, 2021.
- [3] Tursunov, S.N., Xudoyberdiev, A.A. Fundamentals of Higher Mathematics. Textbook. Tashkent: Innovatsiya-Ziyo, 2023.
- [4] Qodirov, A.A., Xudoyberdiev, A.A. Some methods for calculating double integrals. Science and Education, 2022, 3(1): 123-127. – <https://openscience.uz/index.php/sciedu/article/view/2646>
- [5] Usmonov, M.M., Xudoyberdiev, A.A. Geometric applications of the definite integral. International Journal of Academic Pedagogical Research, 2023, 4(1): 10-14. – <https://www.ijapr.uz/index.php/ijapr/article/view/304>
- [6] Xudoyberdiev, A.A., Qodirov, A.A. Methodology for teaching integrals of multivariable functions. Journal of Universal Scientific Research, 2023, 3(1): 1-5. – <https://www.jusr.uz/index.php/jusr/article/view/106>
- [7] Xudoyberdiev, A.A., Qodirov, A.A. Collection of examples and problems in mathematical analysis. Study guide. Tashkent: Fan va texnologiya, 2022.